




## MACHINERIES FOR CONCRETE & CONSTRUCTION INDUSTRY



STONE AGE INTERNATIONAL FZ-LLC FDCW0299, COMPASS  
BUILDING, AL SHOHADA ROAD, AL HAMRA INDUSTRIAL ZONE-FZ,

RAS AL KHAIMAH, UNITED ARAB EMIRATES

**PHONE:** +971-586157187 | +971-588219882

**WEB:** WWW.EMIRATESDIAMONDTOOLS.COM

**EMAIL:** STONEAGEEMIRATES@GMAIL.COM





### Welcome to Stone Age International FZ-LLC

We are committed to building relationships based on trust in the Concrete Industry. We are the supplier and exporter of Electric Wire Saw Machine, Concrete Combo Machine (Floor Cutter Cum Wire Saw), Crawler Wire Saw Machine, Road Cutting Machine, Electric Road Cutting Machine, Crawler Road Saw Machine, Concrete Chain Saw, Electric Wall Saw Machine, Core Drill Machine, Ring Saw Machine, Electric High-Frequency Wall Saw Machine and Slab Cutting Machine. We also produce Wall Saw Blades, Core Drills and Core Drill Segments, Concrete Wire Saw Rope, Machines for the Grinding and Polishing of Concrete and other diamond tools for the Concrete Industry. We have earned the trust of our clients through our dedication to providing value-based products globally. Our efficient and technically trained staff deliver a fine quality of Cutting Machines, these are backed by our trained After Sales Service Engineers.





## Electrical Wire Saw Machine

25HP Wire Saw Machine are used to cut through hard materials in the construction and concrete industry.

These machines are valued for their ability to make clean cuts with minimal vibrations, noise, and dust compared to traditional cutting methods.

### TECHNICAL SPECIFICATION

Driving	Electric
Tensioning	18.5KW
Voltage	AC380+-10%-50Hz / Customized
Speed	26m/s
Max Tension	230Kg
OD of Driving Pulley	500mm
Dimension	2200(L), 800(W), 880(H)
Weight	420Kg
Temperature	-15°C-45°C





## Concrete Combo Machine (Floor Cutter Cum Wire Saw)

The “**CONCRETE COMBO MACHINE**” is a versatile machine that integrates the functionalities of both, a floor cutter and a wire saw into a single unit.

A Concrete Combo Machine, which combines a floor cutter and a wire saw, is a versatile machine that offers even greater flexibility and efficiency on construction sites.



### TECHNICAL SPECIFICATION

Driving Motor	22KW
Max Blade	600-1200mm
Max Cutting Depth	520mm
Rotation	Full Speed
Speed	26m/s
OD of Driving Pulley	500mm
Dimension	1200(L), 900(W), 800(H)
Weight	500Kg
Voltage	380V
Frequency	50Hz
Speed	960rpm

### ADVANTAGES

-It handles a broad spectrum of cutting tasks, from horizontal surfaces such as floors to vertical cuts on walls. -Combining two machines into one not only saves space but also enhances operational efficiency. - Whether it's straight cuts on floors or angled cuts on various structures, the Concrete Combo Machine ensures precision.


# CRAWLER CONCRETE COMBO MACHINE (Floor Cutter Cum Wire Saw)



The “**CRAWLER CONCRETE COMBO MACHINE**” is a versatile machine that integrates the functionalities of both, a floor cutter and a wire saw into a single unit. A Concrete Combo Machine, which combines a floor cutter and a wire saw, is a versatile machine that offers even greater flexibility and efficiency on construction sites. Further, it can cut reinforced concrete, rock, asphalt, and steel plate with no vibration, low noise, accurate positioning, no dust, and high efficiency. It can also cut complex sections, widely used in reinforcement and construction, road, slab, house, floor, column and other cutting and demolition industries.

## TECHNICAL SPECIFICATION

Design	
Driving Motor	22KW / 30HP
Max Blade	600-1200mm
Max Cutting Depth	500mm
Rotation Speed	Full speed
Dimension & Weight	
Length	1200mm
Width	900mm
Height	800mm
Weight	500KG
Control Unit and Motor	
Voltage	380V
Frequency	50Hz
Control	Manual / Remote Control
Fan-cooled 3-Phase motor	





# Crawler Wire Saw Machine

The Crawler Wire Saw Machines' main application is for bridges, bridge piers, bridge decks, walls of construction sites, beams and columns, tunnels and underwater reinforced concrete and rock cutting.



## 22KW TECHNICAL SPECIFICATION

<b>Design</b>	
Driving Motor	22KW
Moving	Battery
1Driving Pulley	φ500mm
1Storeage Pulley	Φ200mm
Wire tension kept by moving on the track	
<b>Dimension &amp; Weight</b>	
Length	1200mm
Width	700mm
Height	950mm
Weight	450Kg
<b>Control Unit and Motor</b>	
Voltage	380-415V
Frequency	50/60Hz
Rotation	0-960rpm
Control	Radio Remote Control
Fan-cooled 3-phase motor	
Moving speed control via frequency converter, soft start, the rotation speed is variable from 0-960rpm	

## 37KW TECHNICAL SPECIFICATION

<b>Design</b>	
Driving Motor	37KW
Moving	Battery
1Driving Pulley	φ500mm
1Storeage Pulley	Φ200mm
Wire tension kept by moving on the track	
<b>Dimension &amp; Weight</b>	
Length	1450mm
Width	950mm
Height	950mm
Weight	830Kg
<b>Control Unit and Motor</b>	
Voltage	380-415V
Frequency	50/60Hz
Control	Radio Remote Control
Fan-cooled 3-phase motor	
Moving speed control via frequency converter	

## Road Cutting Machine - Diesel



The Road Cutting Machine is used for road cutting and road maintenance. Its main function is to cut seams on the road surface. Generally, it is used on reinforced roads and asphalt roads.

Road Cut means a surface or sub-surface cut in any part of on highway made by any means, including runways on the airport, excavation, reconstruction, cutting, overlaying, crack sealing or breaking operations.

This machine is also used for grooving purposes, whereby thicker segmented blades are used for grooving of the concrete.

### TECHNICAL SPECIFICATION

Power	13HP
Max. Cutting Depth	8 Inch
Blade Size	12-24 Inch
Water Tank	35-40 litre
Cutting Material	Concrete
Engine Type	Diesel Engine – Handle Start





## Electric Road Cutting Machine

Electric Road Cutting Machine is ideal for small road repair projects in highway, municipal construction and other departments slit or damaged pavement repair, cutting pavement joints. It is suitable for concrete and asphalt road surface, pothole repair works.

It is often used on reinforced roads and asphalt roads.

This machine is also used for grooving purposes, whereby thicker segmented blades are used for grooving of the concrete.

### TECHNICAL SPECIFICATION

Usage	Road Cutting
Power	15hp
Driving Method	Electric
Max. Cutting Depth	10 Inch
Max. Blade Size	28 Inch
RPM	1440




### APPLICATION:

- In cement pavement construction cross joints and longitudinal joints.
- When the road surface hollow patching is damaged, the surface or basic unit is partially cut.



# Electric High-Frequency Wall Saw Machine

The Electric High-Frequency Wall Saw Machine is easy to handle and operate, and offers very good power. This concrete wall-cutting machine is powered by a hydraulic power pack and easily cut through heavily reinforced concrete or brick. Concrete wall saws are good for all kinds of concrete cutting. high-frequency wall saw is very cost effective



## TECHNICAL SPECIFICATION

Model	SAI LL1770	SAI LL2070	SAI LL2570	
<b>Maximum total power</b>	20Kw	22Kw	28Kw	
<b>Main motor power</b>	<b>Maximum power</b>	18Kw	20Kw	25Kw
	<b>Rated power</b>	15Kw	17Kw	22Kw
<b>Rated current of the main motor</b>	30A	27.8A	38A	
<b>Power supply</b>	Single-phase	Single-phase 220V	Single-phase	Single-phase
	Three-phase	Three-phase 380V	Three-phase	Three-phase
<b>Recommended circuit breaker model</b>	380V	63A	63A	≥63A
	220V	100A	150A	150A
<b>Saw blade mounting hole diameter</b>	φ35\φ50\φ60	φ35\φ50\φ60	φ35\φ50\φ60	
<b>Recommended saw blade diameter</b>	≤1200mm	≤1200mm	≤1400mm	
<b>Installed saw blade diameter</b>	840mm	840mm	840mm	
<b>Saw blade rotation speed</b>	800mm saw blade	0--960rpm	0--960rpm	0--960rpm
	1000mm saw blade	0--770rpm	0--770rpm	0--770rpm
	1200mm saw blade	0--640rpm	0--640rpm	0--640rpm
<b>Traveling speed</b>	1.3m/min	1.3m/min	1.3m/min	
<b>Weight of the cutting head</b>	35Kg	35.5Kg	36.5Kg	
<b>Dimensions of the cutting head</b>	425×310×360	425×310×360	480×320×350	
<b>Cooling method of the cutting head</b>	Water cooling	Water cooling	Water cooling	
<b>Cooling water volume (at 10°C)</b>	>5L/min	>5L/min	>5L/min	
<b>Weight of the control box</b>	17.5Kg	17.5Kg	17.5Kg	
<b>Dimensions of the control box</b>	466×241×446	466×241×446	466×241×446	
<b>Cooling method of the control box</b>	Forced air cooling	Forced air	Forced air	
<b>Standard length of the host cable</b>	12 meters	12 meters	12 meters	
<b>Requirements for power cable</b>	380V	5-core 10-square	5-core	5-core
	220V	3-core 16-square rubber-sheathed cable	3-core 16-square	3-core 16-square
<b>Track weight</b>	8.4Kg/m	8.4Kg/m	8.4Kg/m	
<b>Track size specifications</b>	1m/2.1m	1m/2.1m	1m/2.1m	
<b>Distance between cutting seam and</b>	190±20mm	190±20mm	190±20mm	
<b>Standard specification of saw blade</b>	φ900	φ900	φ900	
<b>Minimum ground clearance of the</b>	6mm	6mm	6mm	
<b>Weight of the saw blade cover</b>	13Kg	13Kg	13Kg	
<b>Cutting efficiency</b>	2-6m <sup>2</sup> /h	2-6m <sup>2</sup> /h	2-6m <sup>2</sup> /h	

# Electric Wall Saw Machine



Electric Wall Saw Machine is used for concrete cutting and reinforced concrete walls and brick walls, and for building or renovating old buildings, reinforcing structures, and changing designs. These machines are a special cutting machine that reduces labor intensity and ensures safe and reliable operation with an overload protection function. With their strong power, concrete wall saw machines improve cutting capacity and labor productivity, making them widely used in demolition construction projects.

## TECHNICAL SPECIFICATION



Motor	9800W
Power Source	Electric
Max Blade	Φ1200mm
Max Cutting Depth	Φ500mm
Length	450mm
Width	450mm
Height	1300mm
Weight	142Kg
Voltage	220
Rated Output Current	10Amp
Control	Wire Remote

Model Number	JL-1200
Application	Brick Saw
Weight	140KG
Frequency	50Hz
Rated Voltage	220V
Max. Cutting Depth	50cm
Rated Input Power	8500W
No-Load Speed	600r/min
Max. Cutting Width	5mm
Blade Diameter	1200mm
Power Source	Electricity
Saw Type	Circular Saw



## Concrete Chain Saw Machine

We are the supplier and exporter of Concrete Chain Saw Machine. We have been the top choice for construction, concrete cutting, reinforced concrete, conduit, brick, and other masonry, rock, and stone applications. Capable of cutting deeper, neater and more accurately in less time. Our concrete chain saw can cut square corners in thicker material without over-cutting.

### TECHNICAL SPECIFICATION

Voltage	220V 50/60Hz/120V 60Hz
Rated Power	3200w
No Load Speed	6300r/min
Chain Specifications	3/8 (18.6mm)78
Max Cutting Size	480mm
Packing Qty.	1Pc
N.W./G.W.	15/16.6Kg
Meas.	64*34*36.5cm



## CONCRETE CORE DRILL MACHINES

Core Drill Machines are used for concrete drilling. These drills are used for core drilling in building construction, airport, runway construction, engineering as well as railways and bridge construction.

## TECHNICAL SPECIFICATION

### Model-BJ-205/255/355E

Drilling range	15-205/15-255/15-355mm
Rated input power	3650/3950/4680W
Rated Voltage	220V
Rated frequency	50-60Hz
No-load speed	700/580/0-600r/min
Packing Dimensions	335*240*900/355*240*1000mm
N.W./G.W	20/22.5, 23/25.8, 26/28Kg
Power Cord	≈3.3m



BJ-205



BJ-255



BJ-355E



## Ring Saw Machine

High-Frequency Ring Saw Machine are used to quickly and effectively cut walls and bricks made up of concrete. This machine is a high-frequency machine that along with the cutting blade cuts through various materials quickly and effectively.

### TECHNICAL SPECIFICATION

Voltage	220V
Frequency	50Hz
Max Depth	270mm
Rotation Speed	full speed
Power	8800W
Rpm	3000RPM



# Slab Cutting Machine



The Slab Cutting Machine is a powerful machine designed for the precise cutting of concrete slabs on roads, highways, and other construction sites.

- Easy to use while hand cutting.
- Cuts concrete and masonry work areas. this is used for renovation and new construction work.
- Cuts smaller holes.
- Asphalt cutting on road work.
- Concrete Cutting Work.


## TECHNICAL SPECIFICATION

Voltage	220V
Rated Power	7500w
No Load Speed	618mm * $\phi$ 50
Max Cutting Size	270mm
Packing Qty.	1Pc
Dimension	85*30*68cm
No Load Speed	3200r/min





STONE AGE INTERNATIONAL FZ-LLC  
**MACHINERIES FOR  
CONCRETE &  
CONSTRUCTION  
INDUSTRY**



## UNITED ARAB EMIRATES

**OFFICE:** STONE AGE INTERNATIONAL FZ-LLC

FDCW0299, COMPASS BUILDING, AL SHOHADA ROAD  
AL HAMRA INDUSTRIAL ZONE-FZ, RAS AL KHAIMAH

UNITED ARAB EMIRATES



**Web:** [www.emiratesdiamondtools.com](http://www.emiratesdiamondtools.com)



**Ph:** +971-586157187 / +971-588219882



**Email:** [Stoneageemirates@gmail.com](mailto:Stoneageemirates@gmail.com) /  
[stoneagesalesemirates@gmail.com](mailto:stoneagesalesemirates@gmail.com)

